

TABLE OF CONTENTS

	Page
<u>ABSTRACT</u>	iii
ACKNOWLEDGEMENTS	iv
LIST OF TABLES	ix
LIST OF FIGURES	xxii
<u>CHAPTER 1</u> INTRODUCTION	1
1.1 Background	1
1.2 Review of the Literature	2
1.3 Objectives of Study	8
1.4 Steps of Study	9
1.5 Terminology	10
<u>CHAPTER 2</u> THEORY OF TRUNCATED GAMMA VARIATES	12
2.1 Truncated Gamma Distributions	12
2.2 The p th Moment of the Truncated Gamma Variates	15
2.3 The Order Statistics in the Truncated Gamma Distribution with Unknown Truncation Points	25
<u>CHAPTER 3</u> ESTIMATION OF PARAMETERS	55
3.1 Left Truncation	55
3.1.1 Maximum Likelihood Estimation of the Truncation Parameter(the Truncation Point, c_1)	56

Table of Contents (Continued)

	Page
3.1.2 Maximum Likelihood Estimation of Distribution Parameters (α and β)	57
3.2 Right Truncation	62
3.2.1 Maximum Likelihood Estimation of the Truncation Parameter (the Truncation Point, c_2)	63
3.2.2 Maximum Likelihood Estimation of Distribution Parameters (α and β)	64
3.3 Doubly Truncation	66
3.3.1 Maximum Likelihood Estimation of the Truncation Parameters (the Truncation Points; c_1 and c_2)	67
3.3.2 Maximum Likelihood Estimation of Distribution Parameters (α and β)	68
<u>CHAPTER 4</u> ALGORITHMS FOR APPROXIMATING OF ESTIMATES	
4.1 Left Truncation	71
4.2 Right Truncation	86
4.3 <u>Doubly Truncation</u>	97

Tables of Contents (Continued)

	Page
<u>CHAPTER 5</u> PROPERTIES OF THE ESTIMATORS	109
5.1 Jointly Sufficient Statistics for the Parameters α , β , c_1 and/or c_2	110
5.1.1 Left Truncation Case	110
5.1.2 Right Truncation Case	111
5.1.3 Doubly Truncation Case	112
5.2 The Reliability of MLEs	114
5.2.1 The Variance-Covariance of Truncation Estimators \hat{c}_1 and/or \hat{c}_2	114
5.2.2 The Asymptotic Variance- Covariance of Distribution Estimators $\hat{\alpha}$ and $\hat{\beta}$	114
<u>CHAPTER 6</u> NUMERICAL RESULTS	125
6.1 Introduction	125
6.2 Displaying Frequency Distributions and Goodness-of-Fit Testing Results	125
6.3 <u>Demonstrating Point and Interval</u> Estimates of Parameters for the Truncated Gamma Distribution with Unknown Truncation Points	139
6.4 <u>The Sensitivity of Estimates</u>	160

Tables of Contents (Continued)

	Page
<u>CHAPTER 7</u> SUMMARY AND CONCLUSIONS	177
7.1 Summary of Findings	177
7.2 Numerical Results	188
7.3 Suggestion and Further Recommendations	192
<u>BIBLIOGRAPHY</u>	196
APPENDICES	202
<u>APPENDIX A</u> ESTIMATION BY THE METHOD OF MAXIMUM LIKELIHOOD	203
<u>APPENDIX B</u> GENERATING TRUNCATED GAMMA VARIATES	208
<u>APPENDIX C</u> SOLVING SYSTEMS OF NON-LINEAR EQUATIONS	230
<u>APPENDIX D</u> SOME BACKGROUND THEOREMS OF ORDER STATISTICS USED IN THE TRUNCATED GAMMA DISTRIBUTION WITH UNKNOWN TRUNCATION POINTS	234
<u>BIOGRAPHY</u>	241

LIST OF TABLES

Tables	Page
6.1 Designation of Parameter Values of Truncated Gamma Distribution for Generating of the Variates	126
6.2 Chi-Squared Goodness-of-Fit Tests for Truncated Gamma Variates	138
6.3 Maximum Likelihood Estimates (MLEs) and Approximated 95% Confidence Intervals (95% CI) from Left Truncated Gamma Distribution with Some Designated Parameter Values ($\alpha=5.00000$, $\beta=1.00000$, and $c_1=0.52786$) Classified by Various Sample Sizes (200 Replications; Each Replications Computed Estimates from Samples of Size n)	142
6.4 Maximum Likelihood Estimates (MLEs) and Approximated 95% Confidence Intervals (95% CI) from Left Truncated Gamma Distribution with Some Designated Parameter Values ($\alpha=5.00000$, $\beta=1.00000$, and $c_1=1.64589$) Classified by Various Sample Sizes (200 Replications; Each Replications Computed Estimates from Samples of Size n)	143

List of Tables (Continued)

Tables	Page
6.5 Maximum Likelihood Estimates (MLEs) and Approximated 95% Confidence Intervals (95% CI) from Left Truncated Gamma Distribution with Some Designated Parameter Values ($\alpha=5.00000$, $\beta=1.00000$, and $c_1=2.76393$) Classified by Various Sample Sizes (200 Replications; Each Replications Computed Estimates from Samples of Size n)	144
6.6 Maximum Likelihood Estimates (MLEs) and Approximated 95% Confidence Intervals (95% CI) from Left Truncated Gamma Distribution with Some Designated Parameter Values ($\alpha=1.25000$, $\beta=4.00000$, and $c_1=0.52786$) Classified by Various Sample Sizes (200 Replications; Each Replications Computed Estimates from Samples of Size n)	145
6.7 Maximum Likelihood Estimates (MLEs) and Approximated 95% Confidence Intervals (95% CI) from Left Truncated Gamma Distribution with Some Designated Parameter Values ($\alpha=1.25000$, $\beta=4.00000$, and $c_1=1.64589$) Classified by Various Sample Sizes (200 Replications; Each Replications Computed Estimates from Samples of Size n)	146

List of Tables (Continued)

Tables	Page
6.8 Maximum Likelihood Estimates (MLEs) and Approximated 95% Confidence Intervals (95% CI) from Left Truncated Gamma Distribution with Some Designated Parameter Values ($\alpha=1.25000$, $\beta=4.00000$, and $c_1=2.76393$) Classified by Various Sample Sizes (200 Replications; Each Replications Computed Estimates from Samples of Size n)	147
6.9 Maximum Likelihood Estimates (MLEs) and Approximated 95% Confidence Intervals (95% CI) from Right Truncated Gamma Distribution with Some Designated Parameter Values ($\alpha=5.00000$, $\beta=1.00000$, and $c_2=7.23607$) Classified by Various Sample Sizes (200 Replications; Each Replications Computed Estimates from Samples of Size n)	148
6.10 Maximum Likelihood Estimates (MLEs) and Approximated 95% Confidence Intervals (95% CI) from Right Truncated Gamma Distribution with Some Designated Parameter Values ($\alpha=5.00000$, $\beta=1.00000$, and $c_2=9.47214$) Classified by Various Sample Sizes (200 Replications; Each Replications Computed Estimates from Samples of Size n)	149

List of Tables (Continued)

Tables	Page
6.11 Maximum Likelihood Estimates (MLEs) and Approximated 95% Confidence Intervals (95% CI) from Right Truncated Gamma Distribution with Some Designated Parameter Values ($\alpha=5.00000$, $\beta=1.00000$, and $c_2=11.70820$) Classified by Various Sample Sizes (200 Replications; Each Replications Computed Estimates from Samples of Size n)	150
6.12 Maximum Likelihood Estimates (MLEs) and Approximated 95% Confidence Intervals (95% CI) from Right Truncated Gamma Distribution with Some Designated Parameter Values ($\alpha=1.25000$, $\beta=4.00000$, and $c_2=7.23607$) Classified by Various Sample Sizes (200 Replications; Each Replications Computed Estimates from Samples of Size n)	151
6.13 Maximum Likelihood Estimates (MLEs) and Approximated 95% Confidence Intervals (95% CI) from Right Truncated Gamma Distribution with Some Designated Parameter Values ($\alpha=1.25000$, $\beta=4.00000$, and $c_2=9.47214$) Classified by Various Sample Sizes (200 Replications; Each Replications Computed Estimates from Samples of Size n)	152

List of Tables (Continued)

Tables	Page
<p>6.14 Maximum Likelihood Estimates (MLEs) and Approximated 95% Confidence Intervals (95% CI) from Right Truncated Gamma Distribution with Some Designated Parameter Values ($\alpha=1.25000$, $\beta=4.00000$, and $c_2=11.70820$) Classified by Various Sample Sizes (200 Replications; Each Replications Computed Estimates from Samples of Size n)</p>	153
<p>6.15 Maximum Likelihood Estimates (MLEs) and Approximated 95% Confidence Intervals (95% CI) from Doubly Truncated Gamma Distribution with Some Designated Parameter Values ($\alpha=5.00000$, $\beta=1.00000$, $c_1=0.52786$ and $c_2=7.23607$) Classified by Various Sample Sizes (200 Replications; Each Replications Computed Estimates from Samples of Size n)</p>	154
<p>6.16 Maximum Likelihood Estimates (MLEs) and Approximated 95% Confidence Intervals (95% CI) from Doubly Truncated Gamma Distribution with Some Designated Parameter Values ($\alpha=5.00000$, $\beta=1.00000$, $c_1=0.52786$ and $c_2=9.47214$) Classified by Various Sample Sizes (200 Replications; Each Replications Computed Estimates from Samples of Size n)</p>	155

List of Tables (Continued)

Tables	Page
6.17 Maximum Likelihood Estimates (MLEs) and Approximated 95% Confidence Intervals (95% CI) from Doubly Truncated Gamma Distribution with Some Designated Parameter Values ($\alpha=5.00000$, $\beta=1.00000$, $c_1=0.52786$ and $c_2=11.70820$) Classified by Various Sample Sizes (200 Replications; Each Replications Computed Estimates from Samples of Size n)	156
6.18 Maximum Likelihood Estimates (MLEs) and Approximated 95% Confidence Intervals (95% CI) from Doubly Truncated Gamma Distribution with Some Designated Parameter Values ($\alpha=1.25000$, $\beta=4.00000$, $c_1=0.52786$ and $c_2=7.23607$) Classified by Various Sample Sizes (200 Replications; Each Replications Computed Estimates from Samples of Size n)	157
6.19 Maximum Likelihood Estimates (MLEs) and Approximated 95% Confidence Intervals (95% CI) from Doubly Truncated Gamma Distribution with Some Designated Parameter Values ($\alpha=1.25000$, $\beta=4.00000$, $c_1=0.52786$ and $c_2=9.47214$) Classified by Various Sample Sizes (200 Replications; Each Replications Computed Estimates from Samples of Size n)	158

List of Tables (Continued)

Tables	Page
6.20 Maximum Likelihood Estimates (MLEs) and Approximated 95% Confidence Intervals (95% CI) from Doubly Truncated Gamma Distribution with Some Designated Parameter Values ($\alpha=1.25000$, $\beta=4.00000$, $c_1=0.52786$ and $c_2=11.70820$) Classified by Various Sample Sizes (200 Replications; Each Replications Computed Estimates from Samples of Size n)	159
6.21 Some Descriptive Statistics of Estimates from Left Truncated Gamma Samples of Size n ($n=200$) ($c_1=0.14645$, $\beta=1.00000$, $\alpha=1.00000, 1.25000, 1.50000, 1.75000,$ $2.00000, 2.25000, 3.00000, 4.00000,$ and 5.00000) (100 Replications: Each Replications Computed Estimates from Samples of Size n ($n=200$))	165
6.22 Some Descriptive Statistics of Estimates from Right Truncated Gamma Samples of Size n ($n=200$) ($c_2=6.11803$, $\beta=1.00000$, $\alpha=1.00000, 1.25000, 1.50000, 1.75000,$ $2.00000, 2.25000, 3.00000, 4.00000,$ and 5.00000) (100 Replications: Each Replications Computed Estimates from Samples of Size n ($n=200$))	166

List of Tables (Continued)

Tables	Page
6.23 Some Descriptive Statistics of Estimates from Doubly Truncated Gamma Samples of Size n ($n=200$) ($c_1=0.14645, c_2=6.11803, \beta=1.00000, \alpha=1.00000, 1.25000, 1.50000, 1.75000, 2.00000, 2.25000, 3.00000, 4.00000,$ and 5.00000) (100 Replications: Each Replications Computed Estimates from Samples of Size n ($n=200$))	167
6.24 Some Descriptive Statistics of Estimates from Left Truncated Gamma Samples of Size n ($n=200$) ($c_1=0.14645, \beta=1.25000, \alpha=1.00000, 1.25000, 1.50000, 1.75000, 2.00000, 2.25000, 3.00000, 4.00000,$ and 5.00000) (100 Replications: Each Replications Computed Estimates from Samples of Size n ($n=200$))	169
6.25 Some Descriptive Statistics of Estimates from Right Truncated Gamma Samples of Size n ($n=200$) ($c_2=6.11803, 7.64754, \beta=1.25000, \alpha=1.00000, 1.25000, 1.50000, 1.75000, 2.00000, 2.25000, 3.00000, 4.00000,$ and 5.00000) (100 Replications: Each Replications Computed Estimates from Samples of Size n ($n=200$))	170

List of Tables (Continued)

Tables	Page
6.26 Some Descriptive Statistics of Estimates from Doubly Truncated Gamma Samples of Size n ($n=200$) ($c_1=0.14645, c_2=6.11803, 7.64754, \beta=1.25000, \alpha=1.00000, 1.25000, 1.50000, 1.75000, 2.00000, 2.25000, 3.00000, 4.00000, \text{ and } 5.00000$) (100 Replications: Each Replications Computed Estimates from Samples of Size n ($n=200$))	171
6.27 Some Descriptive Statistics of Estimates from Left Truncated Gamma Samples of Size n ($n=200$) ($c_1=0.14645, \beta=4.00000, \alpha=1.00000, 1.25000, 1.50000, 1.75000, 2.00000, 2.25000, 3.00000, 4.00000, \text{ and } 5.00000$) (100 Replications: Each Replications Computed Estimates from Samples of Size n ($n=200$))	173
6.28 Some Descriptive Statistics of Estimates from Right Truncated Gamma Samples of Size n ($n=200$) ($c_2=6.11803, 24.47214, \beta=4.00000, \alpha=1.00000, 1.25000, 1.50000, 1.75000, 2.00000, 2.25000, 3.00000, 4.00000, \text{ and } 5.00000$) (100 Replications: Each Replications Computed Estimates from Samples of Size n ($n=200$))	174

List of Tables (Continued)

Tables	Page
6.29 Some Descriptive Statistics of Estimates from Doubly Truncated Gamma Samples of Size n ($n=200$) ($c_1=0.14645, c_2=6.11803, 24.47214, \beta=4.00000, \alpha=1.00000, 1.25000, 1.50000, 1.75000, 2.00000, 2.25000, 3.00000, 4.00000, \text{ and } 5.00000$) (100 Replications: Each Replications Computed Estimates from Samples of Size n ($n=200$))	175

LIST OF FIGURES

Figures	Page
3.1 Possible Behavior of $\Phi(c_1; \alpha, \beta)$	56
3.2 Possible Behavior of $\Phi(c_2; \alpha, \beta)$	63
3.3 Possible Behavior of $\Phi(c_2; \alpha, \beta)$ or $\Phi(c_1; \alpha, \beta)$	67
4.1 Algorithm for Obtaining Better Approximated Estimate of α and β in the Left Truncated Gamma Distribution	84
4.2 Flowchart Corresponding to the Algorithm in Figure 4.1	85
4.3 Algorithm for Obtaining Better Approximated Estimate of α and β in the Right Truncated Gamma Distribution	95
4.4 Flowchart Corresponding to the Algorithm in Figure 4.3	96
4.5 Algorithm for Obtaining Better Approximated Estimate of α and β in the Doubly Truncated Gamma Distribution	107
4.6 Flowchart Corresponding to the Algorithm in Figure 4.5	108
6.1 Graph of Frequency Distribution Generated from Left Truncated Gamma Distribution with $\alpha=5.00$, $\beta=1.00$ and $c_1=0.52786$	127

List of Figures (Continued)

Figures	Page
6.2 Graph of Frequency Distribution Generated from Left Truncated Gamma Distribution with $\alpha=5.00$, $\beta=1.00$ and $c_1=1.64589$	128
6.3 Graph of Frequency Distribution Generated from Left Truncated Gamma Distribution with $\alpha=5.00$, $\beta=1.00$ and $c_1=2.76393$	128
6.4 Graph of Frequency Distribution Generated from Left Truncated Gamma Distribution with $\alpha=1.25$, $\beta=4.00$ and $c_1=0.52786$	129
6.5 Graph of Frequency Distribution Generated from Left Truncated Gamma Distribution with $\alpha=1.25$, $\beta=4.00$ and $c_1=1.64589$	129
6.6 Graph of Frequency Distribution Generated from Left Truncated Gamma Distribution with $\alpha=1.25$, $\beta=4.00$ and $c_1=2.76393$	130
6.7 Graph of Frequency Distribution Generated from Right Truncated Gamma Distribution with $\alpha=5.00$, $\beta=1.00$ and $c_2=7.23610$	130
6.8 Graph of Frequency Distribution Generated from Right Truncated Gamma Distribution with $\alpha=5.00$, $\beta=1.00$ and $c_2=9.47214$	131
6.9 Graph of Frequency Distribution Generated from Right Truncated Gamma Distribution with $\alpha=5.00$, $\beta=1.00$ and $c_2=11.70820$	131

List of Figures (Continued)

Figures	Page
6.10 Graph of Frequency Distribution Generated from Right Truncated Gamma Distribution with $\alpha=1.25$, $\beta=4.00$ and $c_2=7.23607$	132
6.11 Graph of Frequency Distribution Generated from Right Truncated Gamma Distribution with $\alpha=1.25$, $\beta=4.00$ and $c_2=9.47200$	132
6.12 Graph of Frequency Distribution Generated from Right Truncated Gamma Distribution with $\alpha=1.25$, $\beta=4.00$ and $c_2=11.70820$	133
6.13 Graph of Frequency Distribution Generated from Doubly Truncated Gamma Distribution with $\alpha=5.00$, $\beta=1.00$, $c_1=0.52786$ and $c_2=7.23607$	133
6.14 Graph of Frequency Distribution Generated from Doubly Truncated Gamma Distribution with $\alpha=5.00$, $\beta=1.00$, $c_1=0.52786$ and $c_2=9.47214$	134
6.15 Graph of Frequency Distribution Generated from Doubly Truncated Gamma Distribution with $\alpha=5.00$, $\beta=1.00$, $c_1=0.52786$ and $c_2=11.70820$	134

List of Figures (Continued)

Figures		Page
6.16	Graph of Frequency Distribution Generated from Doubly Truncated Gamma Distribution with $\alpha=1.25$, $\beta=4.00$, $c_1=0.52786$ and $c_2=7.23607$	135,
6.17	Graph of Frequency Distribution Generated from Doubly Truncated Gamma Distribution with $\alpha=1.25$, $\beta=4.00$, $c_1=0.52786$ and $c_2=9.47214$	- 135
6.18	Graph of Frequency Distribution Generated from Doubly Truncated Gamma Distribution with $\alpha=1.25$, $\beta=4.00$, $c_1=0.52786$ and $c_2=11.70820$	136
B.1	$f(x)$ and $Ch(x)$ for the Acceptance-Rejection Method	210
B.2	Generating x by the Inverse Transform Method	214
B.3	Flowchart for Generating the Left Truncated Gamma Variates with Given Values of $\alpha \geq 1, \beta > 0$ and the Lower Truncation Point c_1 by Applying the Acceptance-Rejection Method	225

List of Figures (Continued)

Figures		Page
B.4	Flowchart for Generating the Right Truncated Gamma Variates with Given Values of $\alpha \geq 1, \beta > 0$ and the Upper Truncation Point c_2 by Applying the Acceptance-Rejection Method	227
B.5	Flowchart for Generating the Doubly Truncated Gamma Variates with Given Values of $\alpha \geq 1, \beta > 0$, the Lower Truncation Point c_1 and the Upper Truncation Point c_2 by Applying the Acceptance-Rejection Method	229